



WWW.BOSSESCABIN.COM

V1-201903P1-1000



UP 1

HEAD OFFICE:
East (India) Furniture Pvt. Ltd,
No.6, 2nd Main Road,
R.A.Puram,
Chennai - 600 028, India.
Tel: +91 44 42030741, 24617933

CHENNAI SHOWROOM:
436, Anna Salai, Nandanam,
Chennai - 600 035, India.
Tel: +91 44 24335258, 42040568
Fax: +91 44 42030742

BANGALORE SHOWROOM:
14, Langford Garden, Richmond Circle,
Bangalore - 560 025.
Tel: +91 80 22222456, 22102555
Fax: +91 80 42129128



Principle No.1 of Healthy Working

"It takes Human beings millions of years to get rid of tails, just for sedentary sitting?"

People's lives become increasingly convenient since we enter the information era. Take a taxi home or to work, long-time sitting in office and slouch on a sofa, potential risks are hidden in such life styles. According to scientific researches, average wage-earners sit for over 9.3 hours per day. It seems comfortable, but body joints will be like gears without lubrication over time, causing cervical and lumbar spondylosis.



**UP1,
Sit for More More Smooth Communication**

A minimum height of 605mm. Tired of standing?
Why not have a seat.



255mm,

**UP1,
Enjoy Standing**

A maximum height of 1255mm.
Exhausted from sitting? Let's stand up!





**UP1,
Start the Height Adjustment in A
Heartbeat**

Dual-engine structure with 30-38mm/s lifting speed, press just one button to start the adjustment.



**UP1,
Ultra-silent Height Adjustment**

Ultra-silent structure is adopted to create noise-free space with sound below 50 decibels.

UP1, for Different Heights and Gestures.

With a 605mm height adjustment range and 4 memorized positions, whether you have long legs like a supermodel or are adorable like Thumbelina, you can always find the perfect gesture.





Four heights can be memorized, and a high-definition display screen is equipped, start the adjustment with a simple press.



Desktops are available in 5 colors to match different space styles.



Strong Structure, Pressure-Proof and Sturdy
 automobile steel materials endow UP1 with 120kg
 load-bearing capacity.



Universal Fitting

UP1 provides American and British standard sockets applicable in different countries and regions.

With an intelligent collision avoidance system, the desktop automatically falls back when an obstacle is detected.






It seems that all major companies have made a move toward standing working mode.

Sitting and working is not only the preference of young people, but also a smart move to health. Keep up with UP1 in a dynamic workplace, sit or stand at your will to release the pressure on your back.



Operating Principle

Motors inside the understructure actuate the turbine, which enables the mechanism of understructure move upward or downward, then an electronic signal from desktop controller will instruct the understructure to go up and down, and in such way, the desk is lifted or lowered.



2-section Understructure

1. Desk height range: 695mm~1195mm
2. Maximum load: 120kg
3. Speed: 30mm/s
4. Noise $\leq 50\text{Db}$
5. Voltage: 100V~240V
6. Automatically stop when an obstacle is detected



3-section Understructure

1. Desk height range: 605mm~1255mm
2. Maximum load: 120kg
3. Speed: 38mm/s
4. Noise $\leq 50\text{Db}$
5. Voltage: 100V~240V
6. Automatically stop when an obstacle is detected

Product Specification


单
Desktop for Single Desk



DZZ60.180060
W1800*D600*H365(mm)




DZZ60.180060
W1600*D600*H365(mm)



DZZ60.150060
W1500*D600*H365(mm)




DZZ60.140060
W1400*D600*H365(mm)



DZZ60.120060
W1200*D600*H365(mm)



DZZ61.180070
W1800*D700*H365(mm)



DZZ61.160070
W1600*D700*H365(mm)



DZZ61.150070
W1500*D700*H365(mm)




DZZ61.140070
W1400*D700*H365(mm)




DZZ61.120070
W1200*D700*H365(mm)



DZZ62.180060
W1800*D600*H25(mm)



DZZ62.160060
W1600*D600*H25(mm)



DZZ62.150060
W1500*D600*H25(mm)




DZZ62.140060
W1400*D600*H25(mm)




DZZ62.120060
W1200*D600*H25(mm)



DZZ63.180070
W1800*D700*H25(mm)



DZZ63.160070
W1600*D700*H25(mm)



DZZ63.150070
W1500*D700*H25(mm)



DZZ63.140070
W1400*D700*H25(mm)



DZZ63.120070
W1200*D700*H25(mm)

Matte White Two-Section Understructure




DZZ62.175060
W1800*D700*H25(mm)




DZZ63.175060
W1800*D700*H25(mm)



DZZ64.175060
W1800*D700*H25(mm)



DZZ65.175068
W1800*D700*H25(mm)



DZZ66.175068
W1800*D700*H25(mm)

黑
Matte Black Two-Section Understructure



DZZ67.175068
W1800*D700*H25(mm)



DZZ68.175068
W1800*D700*H25(mm)



DZZ69.175068
W1800*D700*H25(mm)

Material

Matte White Three-Section Understructure



DZZ70.175060
W1150-1750*D600*
H695-1195(mm)



DZZ71.175060
W1150-1750*D600*
H695-1195(mm)



DZZ72.175060
W1150-1750*D600*
H695-1195(mm)



DZZ73.175060
W1150-1750*D600*
H695-1195(mm)

Coiled Pipe



DSXGA/DSXGB.123013
W1230*D130*H109(mm)

黑
Matte Black Three-Section Understructure



DZZ74.175068
W1150-1750*D680*
H695-1195(mm)



DZZ75.175068
W1150-1750*D680*
H695-1195(mm)



DZZ76.175068
W1150-1750*D680*
H695-1195(mm)



DZZ77.175068
W1150-1750*D680*
H695-1195(mm)


Featured Colors



S-57




S-43



S-37

Baffle Colors
(Optional)




S-57




S-59

桌Desktop Colors
(Optional)



S-10C




S-56




S-66

Power Socket




DMB.022013



DYB.022013



DOB.022013



DWN.022013

Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.