

BOSS'S CABIN
Premium Office Furniture

WWW.BOSSESCABIN.COM



UP 1

ADMINISTRATIVE OFFICE
544 TTK Road,
Alwarpet
Chennai - 600018, India
Tel: +91 44 42030741, 24617933

CHENNAI SHOWROOM
17, Selvarangaraja Street
Anna Salai, Saidapet
Chennai - 600015
Tel: +91 44 42040568, 42040569

BANGALORE SHOWROOM
14, Langford Garden
Richmond Circle
Bangalore - 560025
Tel: +91 80 22222459, 42129128


BOSS'S CABIN
Premium Office Furniture



UP1: Embark on a sit-to-stand campaign

In the post-pandemic era modern employees' daily lives have experienced subtle yet conspicuous changes. Go to work by bike, practice yoga during a break, stand up and walk around frequently... today's employees care about their health more than ever before. In fact, a sit-to-stand campaign is a fact of life.

As an executive, Richard used to live a sedentary life. Now, he prefers to talk to employees while standing up; beside a dual-desk set, a document was passed to Tom and was reviewed instantly; Lucy, who sits in front of an L-shape desk, got inspirations after doing some stretching exercises; Amber, who suffered a lot from neck pain before, found herself more productive with the 120-degree lift desk.



Sit-to-stand working model, get rid of sub-par health, and lead a new era of 5G working.





Bring synchronized data and agile response

Hand-control via high definition LED screen; Mobile-control via smart APP, remote control within a distance of 10m. Synchronized data to reach designated height. Multi-level lift to bring a healthy body, and high productivity.



3-level memory height

Set preferred heights for sitting and standing postures.

Silent lift

< 46 dB, minimize office noise and focus on work.


Reach within 13s

With a speed of 30-38mm/s, UP1 achieves the designated height within 13 seconds, indulging you with a quick response.

Retreat upon obstacle

Automatic ascend or descend when there is an obstacle.





Sit-to-stand

Sit-to-stand boosts office health

Evidence shows short-term standing helps to boost blood circulation, burn redundant calories, and foster better metabolism while lengthy-standing increases risks of back pain and fatigue. As a result it would be better to change our postures from time to time. The UP1 lift desk reduces the sedentary period by 60% and facilitates transitions between sitting and standing, thus ensuring a healthy work style.





One-set dual-desk improves process-based work

According to surveys, finance/administrative staff suffer most from sedentary working as heads-down work is quite normal because of the nature of their jobs. UP1's one-set dual-desk system allows two people to sit together. It is also capable of being extended continuously on this basis catering to the needs of teamwork.



120° grand desktop

Show your capabilities

Curved edge allows free stretching of your arms on both sides; 55" wide x 29.5" deep desktop is broad enough for you to lay drawings; sit-to-stand design draws an outburst of inspiration.



Synchronized lift of 3 legs allows for a generous working area.






Power Beam with privacy screen allows focus on work

Power and data routing can be a problem in the office but Up1 offers an optional beam system that incorporates power and data cabling. Screens are optional to build a semi-private environment for concentrated work.






L-shape lift desk

L-shape lift desk fosters flexible teamwork

As business develops, an increasing number of projects are undertaken by teams. In this sense the sit-to-stand desk is not only a fashion trend for some but a healthy choice for everyone.







Contemporary minimalist style steel frame adds a touch of design

The lower frame of the lift desk uses cold-rolled steel, which is stable and durable. It is available in three colors: Matte White, Matte Black, Meteor Grey. Elegant colors together with lifting dynamics inject a slew of vibrancy to your space.

Standard worktops



Combinations



Configuration



Smart APP



American standard/Australian standard/
European standard/Chinese standard /
British standard socket



Dual-motor lifting system



Beam routing system



Dual-desk routing system



Independent routing system



Desktop in 7 colors



Under-desk modesty panel



American standard/British standard/
Australian standard/European standard/
Chinese standard socket



UP1 routing system

Grounded power cord goes through routing columns and beams to supply power to extension desk, with wires fully hidden inside; 86mm*86mm socket holes are pre-reserved on the side surface of routing beams, with at most 3 sockets available on each side; Wires of lifting motor and power strip can be stored inside the snake tube.

Product Specifications (Inch)



DZZ80R
W1800*D1820*H720-1210(mm)
W2000*D1820*H720-1210(mm)



DZZ80L
W1800*D1820*H720-1210(mm)
W2000*D1820*H720-1210(mm)



DZZ60
W1200*D600*H25(mm)
W1400*D600*H25(mm)
W1500*D600*H25(mm)
W1600*D600*H25(mm)
W1800*D600*H25(mm)



DZZ61
W1400*D750*H25(mm)
W1500*D750*H25(mm)
W1600*D750*H25(mm)
W1800*D750*H25(mm)



DZZ62R
W1500*D1500*H600*600(mm)
W1600*D1600*H600*600(mm)



DZZ62L
W1500*D1500*H600*600(mm)
W1600*D1600*H600*600(mm)



DZZ63
W1400*D1400*H750*750(mm)



DZZ64/66
W1150-1750*D600*
H695-1185(mm)
W1150-1750*D680*
H695-1185(mm)



DZZ65/67
W1150-1750*D600*
H605-1245(mm)
W1150-1750*D680*
H605-1245(mm)



DZZ50/68
W1150-1750*D1224*
H695-1185(mm)
W1150-1750*D1374*
H695-1185(mm)



DZZ51/69
W1150-1750*D1224*
H605-1245(mm)
W1150-1750*D1374*
H605-1245(mm)



DZZ52/53
W1450-1550*D1440-1540*
H695-1185(mm)
W1150-1750*D1440-1540*
H605-1245(mm)



DZZ54/55



DZZDZ.ZX
W1193*D303*H292*(mm)
W1393*D303*H292*(mm)
W1493*D303*H292*(mm)
W1593*D303*H292*(mm)
W1793*D303*H292*(mm)



DZZSZ.ZX
W1193*D737*H292*(mm)
W1393*D737*H292*(mm)
W1493*D737*H292*(mm)
W1593*D737*H292*(mm)
W1793*D737*H292*(mm)



DZZSZ.KZX
W1393*D887*H292*(mm)
W1493*D887*H292*(mm)
W1593*D887*H292*(mm)
W1793*D887*H292*(mm)



DZZ20
W1183*D800*H12*(mm)
W1380*D800*H12*(mm)
W1480*D800*H12*(mm)
W1580*D800*H12*(mm)
W1780*D800*H12*(mm)
W1300*D800*H12*(mm)



DZZ22
W580*D500*H8*(mm)
W730*D500*H8*(mm)
W1180*D500*H8*(mm)



DZZ22
W1380*D500*H8(mm)
W1480*D500*H8(mm)
W1580*D500*H8(mm)
W1780*D500*H8(mm)

Product specification



DZZ21
W1000*D340.5*H73(mm)
W1200*D340.5*H73(mm)
W1300*D340.5*H73(mm)
W1400*D340.5*H73(mm)
W1600*D340.5*H73(mm)



DZZ.SZZ/PXZJTJ
W543-718*D322*H218(mm)
W543-718*D322*H218(mm)



DZZHX.SXH
W175*D110*H472(mm)



DZHXT.YX



DZZLJ.GXH
W175*D110*H66(mm)



DZZLD.SXG
W1250*D130*H109(mm)



DZZXG.SXG
L1000

Power socket



DZZCZ.AB



DZZCZ.GB



DZZCZ.MB




DZZCZ.OB




DZZCZ.YB

Desktop main color



Desktop optional color

Lower frame color




Screen fabric

TM-VI



P-BL



P-BY



P-TM



P-KM

